

# Eaton 170M5011

Catalog Number: 170M5011

Fuse-link, high speed, 550 A, AC 690 V, DIN 2, 61 x 61 x 108 mm, aR, DIN, IEC, single indicator, 80 mm fixing centres



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series high speed square body fuse	170M5011
	<b>Model Code</b>
	FUSE 550A 690V 2/80 AR UC
<b>UPC</b>	<b>EAN</b>
051712217217	5027590455381
<b>Product Length/Depth</b>	<b>Product Height</b>
286 mm	66 mm
<b>Product Width</b>	<b>Product Weight</b>
165 mm	594 g
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked
	RoHS Compliant
<b>Certifications</b>	
IEC Rated	
UL Recognized	

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

### Amperage Rating

550 A

### Breaking capacity

200 kA

### Fuse indicator

Top fuse status indicator

### Insulated metal gripping lugs (IMGL)

No

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC

### Fuse size

2

### Rated voltage AC

690 V

### Center-to-center distance of connections

78 mm

### Current type

AC

### Mounting dimension

M10

### Class

Class aR

### Clearing (I<sup>2</sup>T)

190000 at 660 V

### Watt losses

80 W

### Clearing loss

80

## Resources

### Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

[170M5011~Eaton Bussmann series high speed square body fuse](#)

### Technical data sheets

[720014 DIN 43653 690V](#)

Fuse shape

Square body, slotted center bolted tags

Pre arc (I2T)

28000

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

2

Packaging type

Standard

Voltage rating

690 V (IEC), 700 V (UL)

Fuse type

DIN 43653

/80 Visual indicator

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)