



Fuse-link, LV, 63 A, AC 500 V, BS88/A3, 21 x 87 mm, gL/gG, BS

**BA063**

General specifications		
Product name		Eaton Bussmann series low voltage british standard fuse
Part no.		BA063
EAN		5027590492010
Product Length/Depth		87 millimetre
Product height		22 millimetre
Product width		21 millimetre
Product weight		50.4 gram
Compliances		CE Marked RoHS Compliant
Certifications		BS88 IEC 60269-2
Product Tradename		None
Product Type		Low voltage british standard fuse
Product Sub Type		None
Electrical data		
Amperage Rating		63 A
Voltage rating		500 V
Voltage type		AC
Breaking capacity		80 kA
Class		Class gG/gL
Product specifications		
Application		general industrial applications
Fuse type		BA0
Fuse size		BS88/A3
Fitted with:		Offset bolted tags
Connection		74 mm Fixing Centre
Compatible fuse holder		
Suitable for		RS63 Red spot fuse holder CM63F Camaster fuse holder

**Technical data ETIM 9.0**

Circuit breakers and fuses (EG000020) / HRC fuse (EC004556)		
Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Safety fuse inserts (unspecified) (ecl@ss13-27-14-20-90 [BAB264016])		
Fuse system according to IEC 60269		Fuse system E
Fuse construction type according to IEC 60269		A3
Type of current		AC
Rated voltage AC	V	500
Rated voltage DC	V	
Rated current	A	63
Utilization category		gG (cable protection/equipment protection)
Breaking capacity	kA	80
Colour code		None
Type of fuse status indicator		None
Power loss at rated current	W	5.6
Mounting holes		M5
Centre-to-centre distance of connections	mm	73.5