



SITOR fuse link, In: 63 A, gR, Un AC: 1500 V, Un DC: 250 V, front indicator

Model		
product brand name	SENTRON	
product designation	SITOR fuse link	
design of the product	Special application	
design of an identification indicator	front indicator	
General technical data		
size of fuse system according to EN 60269-1	others	
operating class of the fuse link	gR	
type of voltage of the operating voltage	AC/DC	
Supply voltage		
supply voltage		
• at AC	1 500 V	
• at DC	250 V	
Breaking Capacity		
switching capacity current		
• according to IEC 60947-2 rated value	50 kA	
Dissipation		
power loss [W]	27 W	
power loss [W]		
• for rated value of the current at AC in hot operating state per pole	27 W	
• maximum	27 W	
Product details		
accessories included	no	
Mechanical Design		
mounting position	Any, preferably vertical	
net weight	1 120 g	
Environmental conditions		
ambient temperature during operation		
• minimum	-20 °C	
• maximum	50 °C	
environmental category	-20 to +50 at 95% relative humidity	
Approvals Certificates		
General Product Approval	Test Certificates	other



[Confirmation](#)



[Special Test Certificate](#)

[Confirmation](#)

other

Environment

[Miscellaneous](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NE5318>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NE5318>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NE5318

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

7/5/2023 

