


PRODUCT-DETAILS

SA/S4.16.5.1

SA/S4.16.5.1 Switch Actuator, 4-fold, 16/20 AX, C-Load, MDRC



Informations générales

Extension du type de produit	SA/S4.16.5.1
Code de produit	2CDG110133R0011
EAN	4016779708289
Description courte	SA/S4.16.5.1 Switch Actuator, 4-fold, 16/20 AX, C-Load, MDRC
Description longue	Uses potential free contacts to switch 4 independent electrical loads via the ABB i-bus®. Manual operation and display of the switching state of the contacts. The 16/20AX, 16A-AC3 (C-load) device is especially suited for loads with high surge currents e.g. fluorescent lighting (AX) acc. EN 60669.

Ordering

Replacement Product ID (NEW)	2CDG110266R0011
EAN	4016779708289
Nombre des douanes tarif	85371091
Quantité minimum	1 pièce
E-Number (Switzerland)	405661145
E-Number (Sweden)	1751105

Dimensions

Product Net Depth / Length	64.5 mm
Product Net Height	90 mm
Product Net Width	72 mm
Poids net	0.236 kg

Container Information

Niveau de l'unité d'emballage 1	box 1 pièce
Package Level 1 EAN	4016779708289
Package Level 1 Depth / Length	77 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.27 kg

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC505083D0203 2CDC505101D0202
Instructions and Manuals	2CDC505056D0108
Declaration of Conformity - CE	2CDK505094D2701
RoHS Information	2CDK505094D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC001097 - Switch actuator for bus system
ETIM 6	EC001097 - actionneur de commutation de système bus
ETIM 7	EC001097 - Switch actuator for bus system
eClass	7.0 27143125
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator

Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 16/20 A

