

PRODUCT-DETAILS

RD2

RD2 Residual Current Monitor



General Information

Extended Product Type	RD2
Product ID	2CSM142120R1201
EAN	8012542058007
Catalog Description	RD2 Residual Current Monitor
Long Description	Residual current monitors (RCMs) with external transformer can detect leakage currents. Through minidip you can set sensitivity and intervention time. Operating voltage: 230...400V a.c.

Technical

Standards	IEC EN 62020
Product Name	Residual Current Monitor
Type of Residual Current	A type
Function	For AC-current system
Rated Voltage (U_r)	400...400 V
Rated Operational Voltage	230 ... 400 V AC
Rated Control Supply Voltage (U_g)	(50 Hz) 400...400 V (60 Hz) 400...400 V
Current Rating	Response value amperage 1 2000 ... 2000 mA
Rated Frequency (f)	50...60 Hz

Power Loss	3.4 W
Number of Contacts	1
Number of Contacts CO	1
Number of Contacts NC	0
Number of Contacts NO	0
Delay Time (?)	Delay-On Energization, Maximum, Permitted 5 second [unit of time] Delay-On Energization, Minimum, Adjustable 0.3 second [unit of time]
Mounting Type	DIN-rail
Filter Option	no frequency filter
Options Provided	Pre-alarm threshold: no

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	35 mm
Product Net Height	0.085 m
Product Net Depth / Length	65 mm
Product Net Weight	0.105 kg
Dimensions	2 modules

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.041 m
Package Level 1 Height	0.08 m
Package Level 1 Depth / Length	0.103 m
Package Level 1 Gross Weight	0.15 kg
Package Level 1 EAN	8012542058007

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85364190
Country of Origin	Hungary (HU)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5627
Instructions and Manuals	0400 - 9924
RoHS Information	9AKK106713A5627

Popular Downloads

Data Sheet, Technical Information	9AKK107046A0424
Instructions and Manuals	0400 - 9924

Classifications

ETIM 6	EC001445 - Residual current monitoring relay
ETIM 7	EC001445 - Residual current monitoring relay
ETIM 8	EC001445 - Residual current monitoring relay
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85364190
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Monitors, RCMs

